



2/9

Sample OCI Outbound Interface Fields

| Description | Mandatory | Catalog- Specific | Field Name | Field Name Variable/Fixed |
|--------------------------------|-------------|----------------------|-----------------|------------------------------|
| Catalog URL | Yes | Yes | <blank></blank> | Fixed |
| All Catalog Specific Fields | As Relevant | Yes | | Variable |
| Return URL | Yes | No | HOOK_URL | Variable |
| OK Code | Yes | No | ~OKCODE | Fixed |
| Target | Yes | No | ~TARGET | Fixed |
| Caller | Yes | No | ~CALLER | Fixed |

FIG. 2



3/9

Sample OCI Inbound Interface Fields

| Description DE Product NE | Nome | | |
|---------------------------|--------------------------------|---|----------------|
| noi | Name | Required/Optional | lype Length |
| | NEW_ITEM- DESCRIPTION[n] | Required if Product Master is not Specified | CHAR-40 |
| | NEW_ITEM- MATNR[n] | Required if the Description Field is not Specified | CHAR-18 |
| | NEW_ITEM- MATGROUP[n] | Optional | CHAR-10 |
| Quantity QI | NEW_ITEM- QUANTITY[n] | Required | CHAR-15 |
| Unit of Measure | NEW_ITEM-UNIT[n] | Required if Product Master Field is not Filled | CHAR-3 |
| Price NE | NEW_ITEM-PRICE[n] | Optional | CHAR-15 |
| Price Unit PF | NEW_ITEM- PRICEUNIT[n] | Optional | CHAR-9 |
| Currency OI | NEW_ITEM- CURRENCY[n] | Required if Price is Returned, Otherwise Optional | CHAR-5 |
| Lead Time LE | NEW_ITEM- LEADTIME[n] | Optional | CHAR-5 |
| Vendor | NEW_ITEM-VENDOR | Optional | CHAR-10 |
| Product ID E) | NEW_ITEM- EXT_PRODUCT_ID[n] | Optional | CHAR-40 |
| Catalog ID NE | NEW_ITEM- EXT_CATEGORY | Optional | CHAR-40 |

FIG. 3A



4/9

<P>This is an example, what needs to be generated by the catalog engine, if the user is done with <!--For more information about the interface fields, refer to the catalog interface description--> <FORM action="<%=Request.QueryString("H00K_URL")%>" method=post target=_top> <P>View the source of this file to see all the text inputs. </P> picking items in his shopping basket.</P> <BODY bgcolor="#DED6C2">

<!--Item number 1-->

<H1>SAP Open Catalog Interface: HTML - Example </H1>

</HEAD>

<HEAD>

<input type="hidden" name="NEW_ITEM-DESCRIPTION[1]" value="Pen, Easytouch,</pre> <input type="hidden" name="NEW_ITEM-CURRENCY[1]" value ="USD"> <input type="hidden" name="NEW_ITEM-VENDOR[1]" value ="1768"> <input type="hidden" name="NEW_ITEM-PRICE[1]" value ="0.50"> <input type="hidden" name="NEW_ITEM-PRICEUNIT[1]" value ="5"> <input type="hidden" name="NEW_ITEM-MATGROUP[1]" value =""> <input type="hidden" name="NEW_ITEM-QUANTITY[1]" value ="1"> <input type="hidden" name="NEW_ITEM-LEADTIME[1]" value ="1"> <input type="hidden" name="NEW_ITEM-MATNR[1]" value =""> <input type="hidden" name="NEW_ITEM-UNIT[1]" value ="EA"> Medium, Black">

<input type="hidden" name="NEW_ITEM-MANUFACTCODE[1]" value ="4711"> <input type="hidden" name="NEW_ITEM-VENDORMAT[1]" value = "648570">

FIG. 38-1



5/9

_1:132[]" value ="longtext_1 <input type="hidden" name="NEW_ITEM-CUST_FIELD1[1]" value="custf 1.1"> <input type="hidden"name="NEW ITEM-MANUFACTMAT[1]" value ="4712"> <input type="hidden" name="NEW ITEM-EXT PRODUCT ID[1]" value = "1111</p> ID[1]" value ="111"> <input type="hidden"name="NEW"ITEM-EXT"QUOTE"ITÈM[1]" value =" TEM[1]" value =" <input type="hidden" name="NEW | ITEM-CONTRACT[11" value ="111"> <input type="submit"value="Transfer Items to BZB shopping basket" . value =‴> The best pen in our program, lightweight and easy to handle"> ITEM-SERVICE[1] <input type="hidden" name="NEW ITEM-EXT QUOTÉ ITEM-CONTRACT <input type="hidden" name="NEW"ITEM-LONGTEXT</pre> <input type="hidden" name="NEW" <input type="hidden" name="NEW" id=submit1 name=submit1>
 © 2000, SAP AG </FORM></B0DY> </HTML>

FIG. 38-2






FIG. 4



7/9

500-




FIG. 5






FIG. 6






FIG. 7